

---

*North America's Leader in Hazardous Material Information Management*  
*1905 Aston Avenue, Carlsbad, CA 92008*  
*Phone (800) 451-8346 Fax (760) 602-8888*

---

## MSDS PRODUCT INFORMATION

Date: 10/07/2005  
To: MSDS Requester  
From: 3E Company  
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☒ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☐ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Roman Decorating Products  
Product Name: GH-70 Ready Mix Wallcovering Adhesive (DISCONTINUED)



---

**3E COMPANY** *North America's Leader in Hazardous Material Information Management*  
1905 Aston Avenue, Carlsbad, CA 92008  
Phone (800) 451-8346 Fax (760) 602-8856

<b>MSDS DISCONTINUED PRODUCT</b>
----------------------------------

**Date:** 10/24/2001

**To:** MSDS Requester

**From:** 3E Company

**Subject:** The MSDS you have requested

**In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS attached is the most current version, or an MSDS is no longer available.**

**Manufacturer:** Roman Adhesives, Inc.

**ProductName:** GH-70 Ready Mix Wallcovering Adhesive (DISCONTINUED)

# MATERIAL SAFETY DATA SHEET

Issue Date: 12/15/91

## 1. CHEMICAL PRODUCT

GH - 70 Ready mix pre-pasted wallcovering adhesive  
Product Codes: 09871, 09874, 09870

### Company Identification

Decorator Products Incorporated  
8500 Shawnee Mission Parkway, Suite 1-2  
Shawnee Mission, KS 66202  
(913) 262-2895

### Emergency Overview

Clear, syrupy liquid, with a bland odor. This starch/water dispersion presents no fire hazard. No significant health effects are associated with this material.

## 2. COMPOSITION (HAZARDOUS COMPONENTS)

None

## 3. HAZARDS IDENTIFICATION

### Potential Health Effects

GH - 70 is an eye irritant. It is not considered a skin irritant or sensitizer.

### Fire and Explosion

GH - 70 is not considered flammable or combustible, but it may burn if involved in a fire. Products of combustion include compounds of carbon, hydrogen and oxygen. The exact composition of the products of combustion will depend on the conditions of combustion.

Based on component information, the flash point of GH - 70 is greater than 250F. GH - 70 is not considered an explosion hazard, nor is it considered pyrophoric.



# MATERIAL SAFETY DATA SHEET

GH - 70

Page 2 of 3

12/15/91

## 4. FIRST AID

Eyes: GH - 70 is a mild eye irritant, due to its soap content. If liquid contact occurs, flush eyes with plenty of water for 15 minutes. It is also recommended to have medical personnel check your eyes afterwards.

Skin: After using GH - 70, it is recommended that the hands and arms be washed with soap and water. Protective gloves may be indicated for those with sensitivity to strong soaps.

## 5. FIRE FIGHTING MEASURES

Extinguishing media include foam, carbon dioxide, dry chemical or water.

## 6. ACCIDENTAL RELEASE MEASURES

Spills should be contained to prevent spreading or entry into drains or catch basins. Spilled paste should be transferred to a waste container.

Spilled GH - 70 will present a slipping hazard, and personnel should be cautious during cleanup.

## 7. HANDLING AND STORAGE

When handling GH - 70 avoid excessive contact and promptly clean up any spillage.

## 8. EXPOSURE CONTROLS/PERSONNEL PROTECTION

Although GH - 70 is not considered a skin contact hazard, it is recommended that personnel minimize skin contact. If there is potential for direct eye contact, it is recommended that personnel wear safety glasses.

### Exposure Guidelines

	OSHA		ACGIH	
	TWA	STEL	TWA	STEL
GH - 70	n/e	n/e	n/e	n/e
n/e = none established				



# MATERIAL SAFETY DATA SHEET

GH - 70

Page 3 of 3

12/15/91

## 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Clear, syrupy liquid  
Odor: Slight odor  
Vapor Pressure: Not determined (very low)  
pH: 9 - 10  
Solubility in water: Miscible  
Specific Gravity: 1.01  
Evaporation rate: Not determined (slow)  
Viscosity: 1,800 -2,400cps

## 10. STABILITY AND REACTIVITY

GH - 70 is considered a stable material under normal and anticipated storage and handling conditions. Thermal decomposition will emit compounds of carbon, hydrogen and oxygen, including carbon monoxide.

To the best of our knowledge, the information contained herein is correct. However, Decorator Products Inc. assumes no liability whatsoever for the accuracy or completeness of this information. All materials may present hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

